

DOSAFLOC SIMPLEX

Polyelectrolyte Preparation & Dosing Unit

DIEMME
FILTRATION



DOSAFLOC® SIMPLEX 1000

Polyelectrolyte preparation and dosing unit especially designed for belt presses and filter presses with automatic operation and composed of :

1 tank of PE for preparing of concentrated solutions,
The capacity of which is 1000 liters. It is placed on a metal base and it is provided with :

- hopper for polyelectrolyte powder, capacity 4.5 Kg
- polyelectrolyte dissolving unit of carbon steel
- homogenizing agitator of stainless steel power 1.1 kW, 3 phase, 380 volt, 50 cycle power with speed reducer
- stainless steel baffle
- electronic level control system with stainless steel feelers
- valves of neutral material, corrosion proof
- drain valve



1 feeding system for water dilution, including :

- 1 pressure reducer for main water (minimum required pressure of 2 bar)
- electro magnetic valve
- flow meter of corrosion proof material
- adjusting valve and check glass
- sight glass of stainless steel



1 piston metering pump with variable delivery,

continuously adjustable even during operation; with all wetted parts of stainless steel.

- drain valve of corrosion proof material
- stainless steel safety valve
- flow meter of corrosion proof material

DIEMME

FILTRATION

TIMBRO AGENTE

DIEMME S.p.A. si riserva il diritto di apportare in qualsiasi momento le modifiche che ritiene indispensabili al miglioramento della sua produzione.

DIEMME S.p.A.

Via Bedazzo, 19 - 48022 Lugo (RA) - Italia
Tel. +39 0545 20611 - Fax +39 0545 30358

www.diemme-spa.com - filterdiv@diemme-spa.com